



Stage Measurements:

- 24,500 Square Feet
- 21,500 + Firelane
- 125 x 199 ft
- Combine Stages 1-3 for 80,000 SF Clearspan

Ceiling Height:

- 37 ft ceiling height
- 23 ft to bottom of grid

Grid:

- 100 x 100 ft Truss Spines Installed
- 75,000 lb load limit
- 20,000 lb per truss
- Additional Designs available through our preferred vendor Killswitch, Inc and Hopper Engineering

Access:


- Loading Dock
- Roll Up Door Width 18 ft Height 14 ft
- Catwalk

Power:

- 2400 amps total draw
- 2x 400 amp with Dual Cam-Lock Disconnects
- 3-Phase 208v

Floor:

- 200 psf load concrete





- Stage Measurements:**
- 31,500 Square Feet
 - 28,000 + Firelane
 - 159 x 199 ft
 - Combine Stages 1-3 for 80,000 SF Clearspan


- Ceiling Height:**
- 37 ft ceiling height
 - 23 ft to bottom of grid

- Grid:**
- 100 x 100 ft Truss Spines Installed
 - 75,000 lb load limit
 - 20,000 lb per truss
 - Additional Designs available through our preferred vendor Killswitch, Inc and Hopper Engineering

- Access:**
- Stage 1 & Stage 3 shared access
 - Catwalk

- Power:**
- 2400 amps total draw
 - 2x 400 amp with Dual Cam-Lock Disconnects
 - 3-Phase 208v

- Floor:**
- 200 psf load concrete





Stage Measurements:

- 24,500 Square Feet
- 21,500 + Firelane
- 125 x 199 ft
- Combine Stages 1-3 for 80,000 SF Clearspan

Ceiling Height:

- 37 ft ceiling height
- 25 ft to bottom of Trusses

Grid:

- None Installed
- 75,000 lb load limit
- 20,000 lb per truss
- Grid Designs available through our preferred vendor Killswitch, Inc and Hopper Engineering

Access:


- 2 Rollup Doors
Width 24 ft Height 20 ft
- Catwalk

Power:

- 2400+ amps total draw
- 18x 100 amp floor boxes
- 3-Phase 208v

Floor:

- 200 psf load concrete





Stage Measurements:

- 32,000 Square Feet
- 28,000 + Firelane
- 245 x 130 ft

Ceiling Height:

- 80 ft ceiling height
- 65 ft to bottom of catwalk

Grid:

- None Installed
- 140,000 lb load limit
- 20,000 lb per catwalk (must be wrapped)
- Grid Designs available through our preferred vendor Killswitch, Inc and Hopper Engineering

Access:


- Roll up Door
Width 23 ft and Height 19 ft
- Catwalk

Power:

- 2400+ amp total draw
- 400 amp plus 2x 200 amp with Cam-Lock Disconnects
- 3-Phase 208v
- Additional power on Catwalks

Floor:

- 200 psf load concrete





Stage Measurements:

- 24,500 Square Feet
- 21,500 + Firelane
- 245 x 100 ft

Ceiling Height:

- 25 ft ceiling height

Grid:

- None Installed
- 22,000 lb load limit in a 60 x 40 ft section
- Grid Designs available through our preferred vendor Killswitch, Inc and Hopper Engineering

Access:

- 2nd Floor
- Freight Elevator
Width 12 ft Length 20 ft
Height 8 ft
- 18 x 8.75 ft Barn Door

Power:

- 1800+ amp total draw
- 400 amp 3 Phase Cam-Locks
208v

Floor:

- 130 psf load concrete

